



## **TECHNICAL DATA SHEET**

#### **Eurovent GEO NAIL**

The fastening nails are made of tempered steel and designed for installation of foundation foils with 8 mm dimples. The package includes a special plastic pad, which ensures tight sealing of nail punctures. Nails and pads make an efficient mounting system for foundation foils.



PARAMETRER	UNIT	VALUE
Material		Stainless steel
Dimensions	[mm]	3,5 x 40
Colour		Silver
Box	[pcs]	100
Pallet	[boxes]	1250

# Advantages:

- Tempered steel
- Fast and easy application
  - Corrosion resistance





#### **Eurovent GEO NAIL**

## Application:

The fastening nails Eurovent GEO NAIL are designed for mounting foundation foils to surfacesmade of concrete, bricks, hollow bricks, etc. Plastic pads ensure that properly fitted nailsmaintain the tightness between the foil and the surface.

### Storage / transport:

The product should be stored in a dry place, under cover, free from moisture and UV radiation in original undamaged and closed package. The Product should be transported in covered means of transport. They should be prepared for transport in a manner that protects them from damage and destruction. During transport safety regulations must be observed. The product should be protected from chemical agents, in particular solvent-based substances, as they can reduce technical parameters of foil or permanently damage it.

The product is under warranty, providing that the guidelines contained in technical data sheet are being obeyed. We reserve the right to refuse a complaint recognition in case of not following these guidelines.

Contained information, advice and guidance is given based on our knowledge, researches, experiments and in good faith. We are not responsible for the consequences of improper or incorrect use of our products. Each user of this material will ensure in every possible way, including an examination of the final product in the relevant conditions, the suitability of supplied materials to achieve the objectives pursued by him.

Product information can be found on the website: www.eurovent.de

Update date: 05/2020